


CATÁLOGO FIXADORES INDUSTRIAIS




NAVEGUE POR CATEGORIAS


FIXAÇÃO GERAL





HIDRÁULICA



FIXAÇÃO ESPECIAL




ARRUELA PRESSÃO ZINCADA




Nominal	D (Ø) mm	D1 (Ø) mm	E(#) mm
1/4"	11,28	6,48	0,85
5/16"	13,55	8,10	1,10
3/8"	15,78	9,70	1,85
1/2"	20,69	12,93	2,20
5/8"	24,88	16,15	2,65
3/4"	29,39	19,38	2,85

ARRUELA LISA ZINCADA




Nominal	D (Ø) mm	D1 (Ø) mm	E(#) mm
3/16"	15,00	5,50	0,90
1/4"	18,00	7,00	0,90
5/16"	20,00	8,80	1,20
3/8"	25,00	10,50	1,20
7/16"	28,00	12,00	3,00
1/2"	32,00	13,50	3,00
9/16"	34,00	15,50	3,00
5/8"	38,00	17,00	3,00
3/4"	44,00	21,00	3,00
7/8"	50,00	24,00	3,00
1"	56,00	27,00	3,00
1.1/8"	60,00	30,50	3,00
1.1/4"	65,00	33,00	3,00
1.1/2"	74,00	40,00	3,00

BUCHA DE PLÁSTICO




Nominal	(Ø) mm	L (mm)
S-6	6 mm	30 mm
S-8	8 mm	30 mm
S-10	10 mm	40 mm
S-12	12 mm	50 mm

PROLONGADOR SEXTAVADO
ZINCADO




Nominal (Ø)	B (mm)	Chave
1/4"	25	7/16
1/4"	50	7/16
5/16"	25	5/8
5/16"	50	5/8
3/8"	25	5/8
3/8"	50	5/8
1/2" NC	50	3/4
1/2" WW	50	3/4
5/8"	50	7/8
3/4"	50	1

CHUMBADOR "CB" COM PARAFUSO



D (Ø)	L (Ø)
1/4" (20 fios)	2"
5/16" (18 fios)	2 1/4"
3/8" (16 fios)	2 1/2"
1/2" NC (13 fios)	3"
5/8" (11 fios)	3 1/2"


JAQUETA E CONE



D (Ø)	L mm
1/4" (20 fios)	35
5/16" (18 fios)	38
3/8" (16 fios)	40
1/2" NC (13 fios)	50
5/8" (11 fios)	60


CONJUNTO DE VEDAÇÃO

Nominal (Ø)
1/4"
5/16"




PARAFUSO CABEÇA PANELA ATARRACHANTE

Nominal	D (Ø) mm	L (mm)	K (mm)	N (mm)
S-6	4,20	38,00	2,45	1,40
S-8	4,80	45,00	2,80	1,60
S-10	5,50	50,00	3,20	1,80




PARAFUSO CABEÇA SEXTAVADA ROSCA SOBERBA

Nominal	D (Ø)	L (mm)	h (mm)	S chave
S-6	3/16"	45,00	3,55	5/16"
S-8	1/4"	50,00	4,77	7/16"
S-10	5/16"	65,00	5,96	1/2"
S-10	3/8"	70,00	6,80	9/16"




PORCA LOSANGULAR COM MOLA




Nominal (Ø)	E (#)
1/4" (20 fios)	13
5/16" (18 fios)	8
3/8" (16 fios)	8

PORCA LOSANGULAR COM PINO





Nominal (Ø)	E (#)	L (mm)
1/4" (20 fios)	13	25,4
5/16" (18 fios)	8	25,4
3/8" (16 fios)	8	25,4

PORCA LOSANGULAR COM ROSCA



Nominal (Ø)	E (#)
1/4" (20 fios)	13
5/16" (18 fios)	8
3/8" (16 fios)	8

GRAMPO C



BALANCIM PARA GRAMPO C

